

Page 1 of 7

# **MATERIAL SAFETY DATA SHEET**

# **ADVANCE 12A**

[with 1% Sodium Hydroxide]

#### Section 01 - Product And Company Information

Product Identifier	ADVANCE 12A (with 1% Sodium Hydroxide)
Product Use	Disinfectant, sanitizer, odour control, water purification, textile bleaching, commercial laundry applications
Supplier Name	ClearTech Industries Inc. 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7
Prepared By	ClearTech Industries Inc. Technical Department Phone: (306)664-2522
Preparation Date	April 4, 2013
24-Hour Emergency Phone	306-664-2522



# Section 02 - Hazard Identification Inhalation Irritant of the nose and throat, causing coughing, difficulty breathing, and pulmonary edema. Skin Contact / Absorption Causes severe skin irritation with blistering and ulceration. Eye Contact Causes severe irritation of the mucous membranes of the eyes. May cause severe eye damage.

CLEARTECH

 Ingestion
 Burning of the mouth and throat, abdominal cramps, nausea, vomiting, diarrhea, shock. May lead to convulsions, coma, and even death.

 Exposure Limits
 ACGIH/TLV-TWA: 0.5ppm (chlorine)

 Section 03 - Composition / Information on Ingredients

Ingredients	Sodium Hypochlorite Sodium Hydroxide	10-12% 0.5-1.5%
CAS Number	Sodium Hypochlorite Sodium Hydroxide	7681-52-9 1310-73-2
Synonym (s)	Industrial bleach, hypo, bleach, Javel	water, household bleach

#### Section 04 - First Aid Measures

Inhalation	Remove victim to fresh air. Give artificial respiration only if breathing has stopped. If breathing is difficult, give oxygen. Seek immediate medical attention.
Skin Contact / Absorption	Remove contaminated clothing. Wash affected area with soap and water. Seek medical attention if irritation occurs or persists.
Eye Contact	Check for and remove any contact lenses. Flush immediately with water for at least 20 minutes. Forcibly hold eyelids apart to ensure complete irrigation of eye tissue. Seek immediate medical attention.
Ingestion	Do not induce vomiting. If vomiting occurs, lean victim forward to prevent breathing in vomitus. Give large amounts of water. Do not give anything by mouth to an unconscious or convulsing person. Seek immediate medical attention.
Additional Information	Not available

#### **Section 05 - Fire Fighting Measures**

 Conditions of Flammability......
 Non-flammable

 Means of Extinction......
 Product does not burn. Use appropriate extinguishing media for material that is supplying the fuel to the fire.

 Flash Point.....
 Not applicable

Page 3 of 7



Auto-ignition Temperature	Not applicable	
Upper Flammable Limit	Not applicable	
Lower Flammable Limit	Not applicable	
Hazardous Combustible Products	Decomposition may produce chlorine gas and/or hydrogen chloride gas.	
Special Fire Fighting Procedures	Wear NIOSH-approved self-contained breathing apparatus and protective clothing.	
Explosion Hazards	Pressure buildup in containers could result in an explosion when heated or in contact with acidic fumes. Vigorous reaction with oxidizable organic materials may result in a fire.	
Section 06 - Accidental Release Measures		
Leak / Spill	Wear appropriate personal protective equipment. Ventilate area. Stop or reduce leak if safe to do so. Restrict access to spill area until clean up is complete. Prevent material from entering sewers, waterways or confined spaces. Soak up smaller spills with absorbent material that does not react with spilled material. Flush with water to remove any residue.	
Deactivating Materials	Spills can be carefully neutralized first with sodium sulphite, sodium metabisulphite or other dechlorination agent for no chlorine residual, then a pH adjustment may be required with hydrochloric acid until the pH is 7. Note neutralization reactions may produce heat so necessary precautions must be taken. Local regulatory agencies should also be contacted for proper disposal.	

#### Section 07 - Handling and Storage

Handling Procedures	Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure.
Storage Requirements	Store in a cool, dry, well-ventilated place. Keep container tightly closed, and away from incompatible materials. Venting of containers is advisable.

#### **Section 08 - Personal Protection and Exposure Controls**

#### **Protective Equipment**

Eyes..... Chemical goggles, full-face shield, or a full-face respirator is to be worn at all times when product is handled. Contact lenses should not be worn; they may contribute to severe eye injury.

Page 4 of 7



Respiratory	A NIOSH-approved respirator suitable for chlorine is recommended. Where a higher level of protection is required, use a self-contained breathing apparatus.
Gloves	Impervious gloves of chemically resistant material (rubber or PVC) should be worn at all times. Wash contaminated clothing and dry thoroughly before reuse.
Clothing	Body suits, aprons, and/or coveralls of chemical resistant material should be worn at all times. Wash contaminated clothing and dry thoroughly before reuse.
Footwear	Impervious boots of chemically resistant material should be worn at all times. No special footwear is required other than what is mandated at place of work.
Engineering Controls	
Ventilation Requirements	Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided. Supply sufficient replacement air to make up for air removed by exhaust systems.
Other	Emergency shower and eyewash should be in close proximity.

### Section 09 - Physical and Chemical Properties

Physical State	Liquid
Odor and Appearance	Strong chlorine odour. Clear, greenish-yellow solution.
Odor Threshold	Not available
Specific Gravity (Water=1)	1.165—1.175 at 20°C
Vapor Pressure (mm Hg, 20°C)	17.5mm Hg at 20°C
Vapor Density (Air=1)	Not available
Evaporation Rate	Not available
Boiling Point	Slowly decomposes above 40°C.
Freeze/Melting Point	~ -6°C (5% solution)
рН	13.0-14.0
Water/Oil Distribution Coefficient	Not available

Page 5 of 7



Bulk Density	Not available
% Volatiles by Volume	Not available
Solubility in Water	Complete
Molecular Formula	NaOCI
Molecular Weight	74.44

## Section 10 - Stability and Reactivity

Stability	Unstable at temperatures above 40°C, in sunlight, and in contact with acid.
Incompatibility	Incompatible with strong acids, ammonia, oxidizable materials, nickel, copper, tin, manganese, and iron.
Hazardous Products of Decomposition	Chlorine (by reaction with acids), oxygen (by reaction with nickel, copper, tin, manganese, iron), sodium chloride, sodium chlorate, with increased temperature.
Polymerization	Will not occur

Section 11 - Toxicological Information	
Irritancy	Strong irritant
Sensitization	Not available
Chronic/Acute Effects	If over-exposed to the solution, there will be constant irritation of the eyes, nose, and throat.
Synergistic Materials	Not available
Animal Toxicity Data	LD <sub>50</sub> (oral,rat): 8910mg/kg (undiluted sodium hypochlorite)
Carcinogenicity	Not considered to be carcinogenic (IARC and ACGIH).
Reproductive Toxicity	Not available
Teratogenicity	Not available
Mutagenicity	Not available

Page 6 of 7



#### Section 12 - Ecological Information

Fish Toxicity	Not available
Biodegradability	Not available
Environmental Effects	Not available

#### **Section 13 - Disposal Consideration**

Waste Disposal	Dispose in accordance with all federal, provincial, and/or local regulations
-	including the Canadian Environmental Protection Act.

#### Section 14 - Transport Information

#### **TDG Classification**

Class	8
Group	II
PIN Number	UN 1791
Other	Secure containers (full and/or empty) with suitable hold down devises during shipment and ensure all caps, valves, or closures are secured in the closed position.

#### Section 15 - Regulatory Information

WHMIS Classification..... E

NOTE: THE PRODUCT LISTED ON THIS MSDS HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN CONTROLLED PRODUCTS REGULATIONS. THIS MSDS CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

Page 7 of 7



#### **Section 16 - Other Information**

**Note:** The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations.

#### Attention: Receiver of the chemical goods / MSDS coordinator

As part of our commitment to the Canadian Association of Chemical Distributors (CACD) Responsible Distribution<sup>®</sup> initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Material Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service or technical service department.

#### **ClearTech Industries Inc. - Locations**

#### Corporate Head Office: 1500 Quebec Avenue, Saskatoon, SK, S7K 1V7 Phone: 306-664-2522 Fax: 306-665-6216

#### www.ClearTech.ca

Location	Address	Postal Code	Phone Number	Fax Number
Richmond, B.C.	12431 Horseshoe Way	V7A 4X6	604-272-4000	604-272-4596
Calgary, AB.	5516E - 40 <sup>th</sup> St. S.E.	T2C 2A1	403-279-1096	403-236-0989
Edmonton, AB.	12020 - 142 <sup>nd</sup> Street	T5L 2G8	780-452-6000	780-452-4600
Saskatoon, SK.	19 Peters Ave, North Corman Park	S7K 1V7	306-933-0177	306-933-3282
Regina, SK.	555 Henderson Drive	S42 5X2	306-721-7737	306-721-8611
Winnipeg, MB.	340 Saulteaux Crescent	R3J 3T2	204-987-9777	204-987-9770
Mississauga, ON.	7480 Bath Road	L4T 1L2	905-612-0566	905-612-0575

#### 24 Hour Emergency Number - All Locations - 306-664-2522